



LIGHTING PRODUCT

LED LIGHT / FLOOD LIGHT / INGROUND LIGHT / WALL LIGHT / LAWN LIGHT / TRESS LIGHT / STREET LIGHT / GARDEN LIGHT / WATER PROOF LIGHT / INDUSTRIAL LIGHT



CHIREA365 TECHNOLOGY CO.,LTD.

❖ Indoor Factory :

5F, No 124, Xinxingda-road, Guzhen-Town, Zhongshan-city, Guangdong Province, China
TEL: +86-760-8756-7151 FAX: +86-760-8756-7151 Mobile: 189-2152-5551
e-mail: chirea365@hotmail.com

❖ Outdoor Factory :

Furonglongtantou, hengshanqiao-Town, Wujin-District, Changzhou-City, Jiangsu Province, China
TEL : +86-510-8358-7002 FAX: +86-510-8388-7744 Mobile: 151-9501-4430
MSN: chirea365@hotmail.com

❖ Korea R & D center :

Advanced Marine Illumination Research, 1 Dongsam-dong, Yeongdo-Gu, Busan, Korea
TEL : +82-70-8227-7232 Mobile: 010-5173-5004 e-mail: chirea365@hotmail.com

CEO: Max Kwak(郭權浩)

<https://skydrive.live.com/#cid=69586D3FC88B89D0&id=69586D3FC88B89D0%212372>


FLOOD LIGHTS



CK-1901




- Watt: 18W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-1902




- Watt: 36W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-1903




- Watt: 18W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-1904



- Watt: 36W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65




FLOOD LIGHTS



CK-1905




- Watt: 18W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-1906





- Watt: 18W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-1907




- Watt: 18W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-1908



- Watt: 18W / 48W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



FLOOD LIGHTS



CK-1909




- Watt: 3W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC12V
- Materials: AL. Die casting
- Cover: PC / Temp` Glass
- Color: White, Gray, Black
- IP65



CK-1910




- Watt: 36W / 85W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-1911



- Watt: 48W / 90W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-1912



- Watt: 56W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



FLOOD LIGHTS




CK-1913



CK-1913A CK-1913B



- Watt: 72/140W
- LED: R, G, B, W
- Lens: 15° 25° 45° 60°
- Power: DC24, 48V
- Materials: AL. Die casting
- Cover: Temp` Glass
- Color: White, Gray, Black
- IP65




CK-1914



CK-1914A CK-1914B




- Watt: 36W / 18W
- LED: R, G, B, W
- Lens: 15° 25° 45°
- Power: DC12, 24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65




CK-1915



CK-1915A CK-1915B



- Watt: 36W / 18W
- LED: R, G, B, W
- Lens: 15° 25° 45°
- Power: DC12, 24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65




CK-1916



CK-1916A CK-1917B



- Watt: 18W / 30W
- LED: R, G, B, W
- Reflector : 15° 25° 45°
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65



FLOOD LIGHTS



CK-1917



- Watt: 6 / 9W
- LED: R, G, B, W
- Lens: 15° 25° 45° 60°
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Temp` Glass
- Color: White, Gray, Black
- IP65



CK-1918



- Watt: 9 / 12W
- LED: R, G, B, W
- Lens: 15° 25° 45°
- Power: DC12, 24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Whitw, Gray, Black
- IP65



FLOOD LIGHTS



CK-1817




- Watt: E40 MH,NH 400W/ LED 72W
- LED: R, G, B, W
- Lens: 15° 25° 45° 60°
- Power: AC220V, DC24, 48V
- Materials: AL. Die casting
- Cover: Temp` Glass
- Color: White, Gray, Black
- IP65



CK-1818




- Watt: MH,NH 150W / LED 36W
- LED: R, G, B, W
- Lens: 15° 25° 45° 60°
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-1819




- Watt: E40 MH,NH 250W / LED 36W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1820



- Watt: Rx7S HQI-150W/
E27 MH-150W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1820A

CK-1820B

CK-1820C

FLOOD LIGHTS



CK-1821




CK-1821A

CK-1821B

CK-1821C

- Watt: Rx7S HQI-250W/
E40 MH-250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1822




CK-1822A

CK-1822B

CK-1822C

- Watt: E40 MH-400W
HQI -250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1823




CK-1823A

CK-1823B

CK-1823C

- Watt: Rx7S HQI 150W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65




CK-1824



CK-1824A

CK-1824B

- Watt: E40 MH-400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65




FLOOD LIGHTS



CK-1825




- Watt: E27 MH-150W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1826




- Watt: E40 MH-400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1827




- Watt: E27 MH-150W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1828



- Watt: E40 MH-400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



FLOOD LIGHTS



CK-1829



CK-1829A

CK-1829B

CK-1829C


- Watt: Rx7S HQI-150W
E27 MH-150W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1830




- Watt: 1500W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1831




- Watt: 1800~2000W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1832



- Watt: E40 1000W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65




FLOOD LIGHTS



CK-1833




- Watt E40 1000~2000W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1834




- Watt: 2000W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1835




- Watt: 1000W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-1836




- Watt: 1000W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



INGROUND LIGHTS




CK-2901



CK-2901A

CK-2901B


- Watt: 1, 3W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Temp` Glass / Brass
- Color: Black, Gray
- IP67



CK-2902




- Watt: 1, 3W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass / Brass
- Color: Gray, Black
- IP67



CK-2903




- Watt: 3,6W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass / Brass
- Color: Gray, Black
- IP67



CK-2904



- Watt: 3,6W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass / Brass
- Color: Gray, Black
- IP67



INGROUND LIGHTS



CK-2905




CK-2905A



CK-2905B


- Watt: 3,6W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass / Brass
- Color: Gray, Black
- IP67



CK-2906




- Watt: 3,6W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass / Brass
- Color: Gray, Black
- IP67



CK-2907




- Watt: 1,3W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2908



- Watt: 3W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67




INGROUND LIGHTS



CK-2909




- Watt: 1W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2910




- Watt: 6,9W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2911





- Watt: 6,9W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2912



- Watt: 9, 12, 18W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2912-T5-645
 CK-2912-T5-945
 CK-2912-T5-1245


INGROUND LIGHTS



CK-2913



- Watt: 3W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2914



- Watt: 3W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2915



- Watt: 6W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2916



- Watt: 6W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67




INGROUND LIGHTS



CK-2917




- Watt: 9W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2918



- Watt: 12W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2919



- Watt: 3W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2920



- Watt: 3W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



INGROUND LIGHTS



CK-2921



- Watt: 9W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67




CK-2922



- Watt: 9W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2923




- Watt: 12W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2924



- Watt: 3W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67




INGROUND LIGHTS



CK-2925




- Watt: Rx7s HQI-150W, LED9W
- LED: R, G, B, W
- Reflector: 120°
- Power: AC220V, DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2926




- Watt: Rx7s HQI-150W, LED 12W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2927




- Watt: 3W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2928



- Watt: 3W
- LED: R, G, B, W
- Reflector: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67




INGROUND LIGHTS




CK-2930



- Watt: Rx7s HQI-150W, LED9W
- LED: R, G, B, W
- Reflector: 120°
- Power: AC220V, DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



CK-2931



- Watt: Rx7s HQI-150W, LED 12W
- LED: R, G, B, W
- Lens: 120°
- Power: DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP67



GARDEN LIGHTS



CK-3901




CK-3901A

CK-3901B

CK-3901C

- Watt: E27/ PAR38-Type 20W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-3902




CK-3902A

CK-3902B

CK-3902C

- Watt: E27/ PAR38-Type 20W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-3903




CK-3903A

CK-3903B

CK-3903C

- Watt: E27/ PAR38-Type 20W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-3904




CK-3904A

CK-3904B

CK-3904C

- Watt: E27/ PAR30-Type 10W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



GARDEN LIGHTS



CK-3905




CK-3905A

CK-3905B

CK-3905C

- Watt: E27/ PAR20-Type 6W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-3906




CK-3906A

CK-3906B

CK-3906C

- Watt: E27/ PAR20-Type 6W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-3907




- Watt: 9W
- LED: R, G, B, W
- Power: DC12, 24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-3908



- Watt: 10W
- LED: R, G, B, W
- Lens: 15° 30° 45° 60°
- Power: DC12, 24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: PC
- Color: Gray, Black
- IP65




GARDEN LIGHTS



CK-3909




- Watt: G12 CDM150W / E27 PAR30
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-3910





- Watt: Rx7s 150W / LED 18W
- LED: R, G, B, W
- Power: DC12, 24V
- Control: DMX512
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-3911



- Watt: 3W 6W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-3911A CK-3911B

CK-3912



- Watt: E27 PAR38 18W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65




LAWN LIGHTS



CK-4901




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4902




- Watt : E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4903



- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54




CK-4904

CK-4904A



CK-4904B

- Watt: 2G11 36W / LED 12W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



LAWN LIGHTS




CK-4905



CK-4905A / 4905B / 4905C

- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black, Wood
- IP54




CK-4906



CK-4906A / 4906B / 4906C


- Watt : E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black , Wood
- IP54



CK-4907




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4908



- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



LAWN LIGHTS



CK-4909




CK-4909A

CK-4909B



- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4910




CK-4910A

CK-4910B



- Watt : E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4911




CK-4911A

CK-4911B



- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4912




CK-4912A

CK-4912B



- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54




LAWN LIGHTS



CK-4913



- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54




CK-4914



CK-4914A
CK-4914B



- Watt : E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54




CK-4915



CK-4915A
CK-4915B




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4916



- Watt: 2G11 36W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54




LAWN LIGHTS



CK-4917




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4918




- Watt : 2G11 36W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4919




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4920



- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54




LAWN LIGHTS



CK-4921




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4922




- Watt : E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4923




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4924



- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Wood, Gray
- IP54




LAWN LIGHTS



CK-4925




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4926




- Watt : 2G11 36W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4927




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Wood, Gray
- IP54



CK-4928



- Watt: 2G11 36W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54




LAWN LIGHTS



CK-4929




- Watt: E27 TC-DSE 20W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4930




- Watt : 2G11 36W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black
- IP54



CK-4931




- Watt: E27 TC-DSE 20W / LED 6W
- LED: R, G, B, W
- Power: AC220V, DC12V
- Materials: AL. Die casting
- Cover: PC
- Color: Gray, Black
- IP65



CK-4932



- Watt: LED 6W
- LED: R, G, B, W
- Power: DC12V
- Materials: AL. Die casting
- Cover: PC
- Color: Gray, Black
- IP65



LAWN LIGHTS




CK-4933



CK-4933A

CK-4933B

- Watt: LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: Wooden, SUS304
- Cover: Crystal
- Color: Wood, Silver
- IP54




CK-4934



CK-4934A

CK-4934B

- Watt : LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: Wooden, SUS304
- Cover: PMMA, PC
- Color: Wood, Silver
- IP54




CK-4935



CK-4935A

CK-4935B

- Watt: LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: SUS304
- Cover: PMMA, PC
- Color: Silver
- IP54




CK-4936



CK-4936A

CK-4936B

- Watt: LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: SUS304
- Cover: PMMA, PC
- Color: Gray, Brown
- IP54



WALL LIGHTS



CK-5801





- Watt: G12 HQI-150W / LED 18W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65

CK-5802



- Watt : G12 HQI-150W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65

CK-5803



- Watt: G12 HQI-150W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black , White
- IP65

CK-5804



- Watt: G12 HQI-150W / LED 9W
 - LED: R, G, B, W
 - Power: AC220V, DC12, 24V
 - Materials: AL. Die casting
 - Cover: PMMA, PC
 - Color: Gray, Black, White
 - IP65
- CK-5804A CK-5804B

WALL LIGHTS



CK-5805



- Watt: G12 HQI-150W / LED 18W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65

CK-5806

- Watt : G12 HQI-150W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65

CK-5807

- Watt: G12 HQI-150W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black , White
- IP65

CK-5808

- Watt: G12 HQI-150W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black, White
- IP65

CK-5804A CK-5804B


WALL LIGHTS



CK-5901




- Watt: G12 HQI-150W / LED 18W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-5902




- Watt : G12 HQI-150W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-5903



- Watt: G12 HQI-150W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black , White
- IP65



CK-5904




CK-5904A



CK-5904B

- Watt: G12 HQI-150W / LED 9W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: PMMA, PC
- Color: Gray, Black, White
- IP65



WALL LIGHTS



CK-5905

- Watt: MR16 100W/ LED 12W
- LED: R, G, B, W
- Power: AC220V, DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65


CK-5906




CK-5906A

CK-5906B

- Watt MR16 50W/ LED 6W
- LED: R, G, B, W
- Power: AC220V, DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65




CK-5907



CK-5907A

CK-5907B

- Watt: MR16 50W/ LED 6, 3W
- LED: R, G, B, W
- Power: AC220V, DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-5908




CK-5908A/B



CK-5908C/D



- Watt: LED 1~2W
- LED: R, G, B, W
- Power: DC12V
- Materials: Plastic
- Cover: PMMA
- Color: Gray
- IP65




WALL LIGHTS



CK-5909




- Watt: MR16 100W/ LED 12W
- LED: R, G, B, W
- Power: AC220V, DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black, White
- IP65



CK-5910




- CK-5910A ● Watt LED 3W
● LED: R, G, B, W
● Power: DC12V
- CK-5910B ● Materials: AL. Die casting
● Cover: Tempered Glass
- CK-5910C ● Color: Gray, Black, White
● IP65



CK-5911



- CK-5911A ● Watt: LED 3W
● LED: R, G, B, W
● Power: DC12V
- CK-5911B ● Materials: AL. Die casting
● Cover: Glass, SUS
- CK-5911C ● Color: Gray, Black, White
● IP65




CK-5912



CK-5912A

CK-5912B

- Watt: LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



WALL LIGHTS



CK-5913



CK-5913A




CK-5913B



CK-5913C

- Watt: LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: AL. Die casting
- Cover: Glass, SUS
- Color: Gray, Black
- IP65



CK-5914





CK-5915A




CK-5915B

- Watt LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65




CK-5915



CK-5915A / CK-5915B / CK-5915C

- Watt: Rx7s HQI-150W/ LED 6W
- LED: R, G, B, W
- Power: AC220V, DC12V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-5916




CK-5916A



CK-5916B

- Watt: G23 16W / LED 3W
- LED: R, G, B, W
- Power: AC220V, DC12V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65



WALL LIGHTS




CK-5940




CK-5940A

CK-5940B

- Watt: LED 18W, T5-21W
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65




CK-5941



CK-5941A

CK-5941B

- Watt: LED 18W, T5
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65




CK-5942



CK-5942A

CK-5942B

- Watt: LED 18W, T5
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65




CK-5943



CK-5943A

CK-5943B

- Watt: LED 18W, T5
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65





WALL LIGHTS



CK-5944





- Watt: LED 18W, T5
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65




CK-5945




- Watt: LED 18W, T5
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65



CK-5946




- Watt: LED 18W, T5
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65



CK-5947



- Watt: LED 18W, T5
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65




WALL LIGHTS



CK-5948




- Watt: LED 18W, T5
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65



CK-5949




- Watt: LED 18W, T5
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65




CK-5950



- Watt: LED 18W
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black
- IP65



CK-5951



- Watt: LED 9W
- LED: R, G, B, W
- Power: DC24V
- Materials: AL. Die casting
- Cover: PC
- Color: Gray, Black
- IP65



WALL LIGHTS



CK-5970





CK-5970A



CK-5970B

- Watt: E27 LED 6W
- LED: R, G, B, W
- Power: DC12V
- Materials: Wooden
- Cover: Crystal, PC
- Color: Wood, Silver
- IP54



CK-5971





CK-5971A



CK-5971B

- Watt LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: Wooden, SUS304
- Cover: PMMA, PC
- Color: Wood, Silver
- IP54



CK-5972





CK-5972A



CK-5972B

- Watt: LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: SUS304
- Cover: PMMA, PC
- Color: Silver, Gray
- IP54



CK-5973





CK-5973A



CK-5973B

- Watt: LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: SUS304
- Cover: PMMA, PC
- Color: Gray, Brown
- IP54




UNDERWATER LIGHTS



CK-6901




- Watt: LED 18W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: SUS304
- Cover: Tempered Glass
- Color: Silver
- IP68



CK-6902




- Watt LED 3W
- LED: R, G, B, W
- Power: DC12V
- Materials: SUS304
- Cover: Tempered Glass
- Color: Silver
- IP68



CK-6903




- Watt LED 6W
- LED: R, G, B, W
- Power: DC12V
- Materials: SUS304
- Cover: Tempered Glass
- Color: Silver
- IP68



CK-6904



- Watt LED 6W
- LED: R, G, B, W
- Power: DC12V
- Materials: SUS304
- Cover: Tempered Glass
- Color: Silver
- IP68




UNDERWATER LIGHTS



CK-6905




- Watt: LED 12W
- LED: R, G, B, W
- Power: DC12, 24V
- Materials: SUS304
- Cover: Tempered Glass
- Color: Silver
- IP68



CK-6906




- Watt LED 12W
- LED: R, G, B, W
- Power: DC12V
- Materials: SUS304
- Cover: Tempered Glass
- Color: Silver
- IP68



CK-6907



- Watt LED 18W
- LED: R, G, B, W
- Power: DC12V
- Materials: SUS304
- Cover: Tempered Glass
- Color: Silver
- IP68



CK-6908




CK-6908A

CK-6908B

CK-6908C


- Cable Grand: 4P, 6P, 8P
- Materials: SUS304
- Color: Silver
- IP68



PARK LIGHTS



CK-7901



CK-7901A-5C **CK-7901B-4C**
CK-7901A-5R **CK-7901B-4R**


- Watt: E40 MH150W, LED 36W
- LED: R, G, B, W
- Power: AC220V, DC24V
- Materials: AL. Die casting
- Cover: PC, PMMA
- Color: Black, Gray
- IP65



CK-7902




- Watt E40 175W / LED 60W
- LED: R, G, B, W
- Power: AC220V, DC24V
- Materials: AL. Die casting
- Cover: PC, PMMA
- Color: Gray, Black, White
- IP65



CK-7903



- Watt: G12 CDM-150W
- Power: AC220V
- Materials: AL. Die casting
- Cover: PC, PMMA
- Color: Gray, Black, White
- IP65



CK-7904



- Watt E40 175W / LED 60W
- LED: R, G, B, W
- Power: AC220V, DC24V
- Materials: AL. Die casting
- Cover: : Tempered Glass
- Color: Gray, Black, White
- IP65



PARK LIGHTS



CK-7905



CK-7905A-60W
CK-7905B-120W



- Watt: LED 60, 120W
- LED: R, G, B, W
- Power: AC220V, DC24, 48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Black, Gray
- IP65




CK-7906



CK-7906A-42W
CK-7906B-56W


- Watt: LED 42, 56W
- LED: R, G, B, W
- Power: DC24, 48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-7907



- Watt: E40 150W, LED 60W
- Power: AC220V DC24, 48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65




CK-7908



CK-7908A

CK-7908B

- Watt: E40 175W / LED 60W
- LED: R, G, B, W
- Power: AC220V, DC24, 48V
- Materials: AL. Die casting
- Cover: : Tempered Glass
- Color: Gray, Black, White
- IP65



PARK LIGHTS




CK-7909



CK-7909A

CK-7909B


- Watt: LED 60W
- LED: R, G, B, W
- Power: DC24, 48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Black, Gray
- IP65



CK-7910




- Watt: LED 36W
- LED: R, G, B, W
- Power: DC24, 48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-7911




- Watt: E40 150W, LED 36W
- Power: AC220V DC24, 48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-7912



- Watt E40 175W / LED 60W
- LED: R, G, B, W
- Power: AC220V, DC24, 48V
- Materials: AL. Die casting
- Cover: : Tempered Glass
- Color: Gray, Black, White
- IP65




PARK LIGHTS



CK-7913




- Watt: E40 MH,NH-150W/ LED 60W
- LED: R, G, B, W
- Power: AC220V DC24V
- Materials: AL. Die casting
- Cover: PC, PMMA
- Color: Black, Gray
- IP65



CK-7914




- Watt: E40 MH,NH-250W/ LED 60W
- LED: R, G, B, W
- Power: AC220V, DC24V
- Materials: AL. Die casting
- Cover: PC
- Color: Gray, Black, White
- IP65



CK-7915




- Watt: E40 MH,NH 400W/ LED 60W
- Power: AC220V DC24V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-7916



- Watt E40 175W / LED 60W
- LED: R, G, B, W
- Power: AC220V, DC24V
- Materials: AL. Die casting
- Cover: : PC, PMMA
- Color: Gray, Black, White
- IP65




STREET LIGHTS




CK-8901



- Watt: LED 120W
- LED: White
- Power: DC48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Black, Gray
- IP65



CK-8902




- Watt: LED 120W
- LED: White
- Power: DC48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8903




- Watt: LED 120W
- Power: DC48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8904



- Watt E40 175W / LED 60W
- LED: R, G, B, W
- Power: AC220V, DC24V
- Materials: AL. Die casting
- Cover: : PC, PMMA
- Color: Gray, Black, White
- IP65




STREET LIGHTS




CK-8905




- Watt: LED 180W
- LED: White
- Power: DC48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Black, Gray
- IP65




CK-8906




- Watt: LED 150W
- LED: White
- Power: DC48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8907



- Watt: LED 120W
- Power: DC48V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8908



- Watt: LED 150W
- LED: R, G, B, W
- Power: DC48V
- Materials: AL. Die casting
- Cover: : Tempered Glass
- Color: Gray, Black, White
- IP65



STREET LIGHTS



CK-8909



- Watt: CDM 150W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Black, Gray
- IP65



CK-8910




- Watt: CDM 250W/MH 400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8911



- Watt: CDM 150 250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8912



- Watt: CDM 150 250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: : Tempered Glass
- Color: Gray, Black, White
- IP65



STREET LIGHTS



CK-8913



- Watt: LED 120W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Black, Gray
- IP65



CK-8914




- Watt: electrodeless 200~400W/ LED120W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8915




- Watt: MH, NH 400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8916



- Watt: CDM 150W
- Power: AC220V
- Materials: AL. Die casting
- Cover: : Tempered Glass
- Color: Gray, Black, White
- IP65




STREET LIGHTS



CK-8917




- Watt: CDM250W/ MH250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Black, Gray
- IP65



CK-8918




- Watt : electrodeless 200~400W /MH, NH 400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8919




- Watt: CDM 250W, MH, NH 250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8920



- Watt: CDM 250W, MH,NH 400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: : Tempered Glass
- Color: Gray, Black, White
- IP65




STREET LIGHTS




CK-8921




- Watt: CDM250W/ MH400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Black, Gray
- IP65



CK-8922




- Watt : CDM 250W /MH, NH 400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8923




- Watt: CDM 250W, MH, NH 400W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8924



- Watt: CDM 150W, MH,NH 250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: : Tempered Glass
- Color: Gray, Black, White
- IP65




STREET LIGHTS



CK-8925




- Watt: CDM250W/ MH,NH 250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Black, Gray
- IP65



CK-8926



- Watt: CDM 250W /MH, NH 250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8927




- Watt: CDM 150W, MH, NH 250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: Tempered Glass
- Color: Gray, Black, White
- IP65



CK-8928



- Watt: CDM 150W, MH,NH 250W
- Power: AC220V
- Materials: AL. Die casting
- Cover: : Tempered Glass
- Color: Gray, Black, White
- IP65




OTHERS LIGHTS



CK-9901



- Watt: 2x500W, 1x500W, LED 36W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: AL. Die casting
- Cover: Safety Tempered Glass
- Color: Gray, Black
- IP65



CK-9901A / CK-9901B

CK-9902



- Watt G11 FL2x32W(CK-9902A), FL1x32W(CK-9902B)
- Power: AC220V
- Materials: PC
- Cover: PC
- Color: Gray, White
- IP67

L (mm)	W (mm)	H (mm)
662	88	100
662	158	100
1272	88	100
1272	158	100




CK-9902A / CK-9902B

CK-9903



- Watt: E40 MH250W/ LED 36, 60W
- LED: R, G, B, W
- Power: AC220V, DC12, 24V
- Materials: SUS304
- Cover: Tempered Glass
- Color: Silver



- Watt: LED 1W
- LED: R, G, B, W
- Power: Solar Power
- Materials: PC
- Cover: PC
- Color: White
- IP65



CK-9904